



# PIERS DOUBLE

## ASSEMBLY AND MOUNTING INSTRUCTIONS

UE-2426

### GENERAL NOTES

- CAREFULLY UNPACK THE LUMINAIRE AND INSPECT FOR DAMAGE.
- PLEASE WEAR GLOVES TO PROTECT THE FINISH OF THE FIXTURE.
- SAVE THESE INSTRUCTIONS FOR FUTURE REFERENCE.

#### NOTICE


- FOR YOUR SAFETY AND PROPER OPERATION OF LUMINAIRE, READ AND UNDERSTAND ALL INSTRUCTIONS COMPLETELY BEFORE COMMENCING INSTALLATION OF THIS LUMINAIRE.
- THIS LUMINAIRE IS SUITED FOR DAMP LOCATIONS.
- THIS LUMINAIRE IS UL LISTED. WHEN INSTALLING LUMINAIRE, CONFORM TO ALL APPLICABLE LOCAL ELECTRICAL CODES, ORDINANCES, AND THE NATIONAL ELECTRICAL CODE (NEC).
- THIS PRODUCT IS RATED FOR TWO 60 W TYPE B BULBS

#### CAUTION

THIS PRODUCT SHOULD BE INSTALLED ONLY BY A LICENSED ELECTRICIAN.





#### WARNING

THE ELECTRICITY MUST BE TURNED OFF AT THE MAIN FUSE BOX BEFORE INSTALLING THIS LUMINAIRE. TURNING POWER OFF USING THE LIGHT SWITCH MAY NOT BE SUFFICIENT TO PREVENT ELECTRICAL SHOCK.



### COMPONENTS PROVIDED FOR INSTALLATION

#### BOX 1

<p><b>FIXTURE BODY</b></p> 	<p><b>BULB (X2)</b> *3 SIZE OPTIONS*</p> 	<p><b>WIRENUT (X2)</b></p> 	<p><b>HEX WRENCH</b></p> 	<p><b>JUNCTION BOX SCREW (X2)</b></p> 
	<p><b>BACKPLATE EXTENSION (OPTIONAL)</b></p> 	<p><b>FLAT HEAD SCREW (X2-OPTIONAL)</b></p> 	<p><b>WALL ANCHOR #6 (X2-OPTIONAL)</b></p> 	<p><b>WALL ANCHOR #8 (X2-OPTIONAL)</b></p> 

#### BOX 2

<p><b>GLASS CYLINDER</b></p> 
--

#### BOX 3

<p><b>GLASS CYLINDER</b></p> 
--



# PIERS DOUBLE

## ASSEMBLY AND MOUNTING INSTRUCTIONS

UE-2426


### MOUNTING INSTRUCTIONS - 2 PERSON INSTALL

#### STEP 1

SHUT OFF THE MAIN ELECTRICAL SUPPLY TO THE JUNCTION BOX FROM THE FUSE BOX/CIRCUIT BREAKER. TURNING POWER OFF AT THE SWITCH IS NOT SUFFICIENT.

#### STEP 2


USE PROVIDED HEX WRENCH TO LOOSEN SET SCREWS AT SIDES OF FIXTURE BODY. REMOVE MOUNTING PLATE FROM BACK OF FIXTURE.



#### STEP 3

ATTACH MOUNTING PLATE TO JUNCTION BOX WITH JUNCTION BOX SCREWS.

**FOR BACKPLATE EXTENSION OPTION: ATTACH MOUNTING PLATE DIRECTLY TO THE WALL WITH FLAT HEAD SCREWS AND APPROPRIATE WALL ANCHORS.**



#### STEP 4

PULL HOUSE SUPPLY WIRE THROUGH CENTER OF MOUNTING PLATE. LIFT FIXTURE TO WALL AND USING THE WIRE NUTS PROVIDED, MAKE ELECTRICAL CONNECTIONS BY FOLLOWING THE ELECTRICAL CONFIGURATION TABLE BELOW. ENSURE THAT ALL ELECTRICAL CONNECTIONS ARE WRAPPED WITH UL-LISTED ELECTRICAL TAPE.

**IMPORTANT: NEVER ALLOW FIXTURE TO "HANG" FROM ELECTRICAL CONNECTIONS OR TO OTHERWISE PUT PRESSURE ON THE CONNECTIONS. THE WEIGHT OF THE FIXTURE SHOULD BE SUPPORTED BY THE MOUNTING ASSEMBLY.**




# PIERS DOUBLE

## ASSEMBLY AND MOUNTING INSTRUCTIONS

UE-2426

### STEP 5

SLIP FIXTURE BODY OVER MOUNTING PLATE AND RETIGHTEN SET SCREWS IN SIDES OF FIXTURE BODY.



### STEP 6

INSTALL BULBS. NOTE THERE ARE 3 SIZE OPTIONS THAT COORDINATE WITH SIZES OF THE GLASS CYLINDERS. BE SURE TO INSTALL BULBS ACCORDING TO DESIRED GLASS CONFIGURATION.


16" GLASS OPTION



11" GLASS OPTION



8" GLASS OPTION



### STEP 7

THREAD GLASS CYLINDERS INTO CUPS. NOTE, THERE ARE 3 SIZE OPTIONS. INSTALL GLASS ACCORDING TO DESIRED CONFIGURATION.


16" GLASS OPTION



11" GLASS OPTION



8" GLASS OPTION



### STEP 8

RESTORE POWER TO THE CIRCUIT. CONFIRM PROPER OPERATION OF THE LIGHT FIXTURE.



# PIERS DOUBLE

## ASSEMBLY AND MOUNTING INSTRUCTIONS

UE-2426

### ELECTRICAL CONFIGURATION TABLE

---

FROM HOME	FROM LUMINAIRE
CONNECT BLACK OR RED (HOT) HOUSE SUPPLY CIRCUIT WIRE TO:	LUMINAIRE ROUND/BLACK WIRE (HOT)
CONNECT WHITE (NEUTRAL) HOUSE SUPPLY CIRCUIT WIRE TO:	LUMINAIRE RIBBED/WHITE WIRE (NEUTRAL)
CONNECT GREEN INSULATED OR BARE COPPER (GROUND -) HOUSE SUPPLY CIRCUIT WIRE AND LUMINAIRE BARE STRANDED WIRE (GROUND -) TO GREEN GROUND SCREW ON CROSSBAR.	

**GENERAL NOTE:** USE UL LISTED WIRE NUTS FOR THE WIRING CONNECTIONS IN THIS LUMINAIRE. WRAP WIRE NUT CONNECTIONS WITH UL LISTED ELECTRICAL TAPE.

FOR QUESTIONS, PLEASE CONTACT CLIENT SERVICES AT: 843.723.8140 OR [INFO@URBANELECTRICCO.COM](mailto:INFO@URBANELECTRICCO.COM)